


Figur 4F

Figur 5F



Typ H - Pro řemeny H - rozteč 1/2" = 12,7mm / For belts H - Pitch 1/2" = 12,7mm

Zubů Teeth	Šif.ř. Width	Označení / Obj.č. Part.No.	Typ Fig.	* Mat. Mat.	Pouzdro Bush	Dp [mm]	De [mm]	Df [mm]	Dm [mm]	Di [mm]	F [mm]	S [mm]	R [mm]	m [kg]
16	100	16H100 TB	5F	ST	1108	64,68	63,31	71,00	-	45,00	31,0	22,0	9,0	0,40
18	100	18H100 TB	5F	ST	1210	72,77	71,39	79,00	-	52,00	31,0	25,0	6,0	0,50
	150	18H150 TB	5F	ST	1210	72,77	71,39	79,00	-	52,00	45,0	25,0	20,0	0,60
	200	18H200 TB	5F	ST	1210	72,77	71,39	79,00	-	52,00	28,0	25,0	33,0	0,80
19	100	19H100 TB	5F	ST	1210	76,81	75,44	83,00	-	56,00	31,0	25,0	6,0	0,60
	150	19H150 TB	5F	ST	1210	76,81	75,44	83,00	-	56,00	45,0	25,0	20,0	0,70
	200	19H200 TB	5F	ST	1610	76,81	75,44	83,00	-	56,00	58,0	25,0	33,0	0,90
20	100	20H100 TB	5F	ST	1210	80,55	79,48	87,00	-	60,00	31,0	25,0	6,0	0,70
	150	20H150 TB	5F	ST	1210	80,55	79,48	87,00	-	60,00	45,0	25,0	20,0	0,80
	200	20H200 TB	5F	ST	1610	80,55	79,48	87,00	-	60,00	58,0	25,0	33,0	1,00
	300	20H300 TB	4F	ST	1615	80,55	79,48	87,00	-	65,00	84,0	38,0	23,0	1,50
21	100	21H100 TB	5F	ST	1210	84,89	83,52	91,00	-	64,00	32,0	25,0	7,0	0,80
	150	21H150 TB	5F	ST	1210	84,89	83,52	91,00	-	64,00	45,0	25,0	20,0	1,00
	200	21H200 TB	5F	ST	1610	84,89	83,52	91,00	-	64,00	58,0	25,0	33,0	1,70
	300	21H300 TB	4F	ST	1615	84,89	83,52	91,00	-	65,00	84,0	38,0	23,0	1,20
22	100	22H100 TB	5F	ST	1210	88,94	87,56	93,00	-	67,00	32,0	25,0	7,0	0,90
	150	22H150 TB	5F	ST	1210	88,94	87,56	93,00	-	67,00	45,0	25,0	20,0	1,20
	200	22H200 TB	5F	ST	1610	88,94	87,56	93,00	-	67,00	58,0	25,0	33,0	1,50
	300	22H300 TB	4F	ST	1615	88,94	87,56	93,00	-	67,00	84,0	38,0	23,0	1,60
23	100	23H100 TB	5F	ST	1610	92,98	91,61	97,00	-	70,00	32,0	25,0	7,0	0,90
	150	23H150 TB	5F	ST	1610	92,98	91,61	97,00	-	70,00	45,0	25,0	20,0	1,30
	200	23H200 TB	5F	ST	1610	92,98	91,61	97,00	-	70,00	58,0	25,0	33,0	1,80
	300	23H300 TB	4F	ST	1615	92,98	91,61	97,00	-	70,00	84,0	38,0	23,0	1,80
24	100	24H100 TB	5F	ST	1610	97,02	95,65	103,00	-	74,00	32,0	25,0	7,0	1,00
	150	24H150 TB	5F	ST	1610	97,02	95,65	103,00	-	74,00	45,0	25,0	20,0	1,20
	200	24H200 TB	5F	ST	1610	97,02	95,65	103,00	-	74,00	58,0	25,0	33,0	1,50
	300	24H300 TB	4F	ST	1615	97,02	95,65	103,00	-	74,00	84,0	38,0	23,0	2,10
25	100	25H100 TB	5F	ST	1610	101,06	99,69	106,00	-	77,00	32,0	25,0	7,0	1,00
	150	25H150 TB	5F	ST	1610	101,06	99,69	106,00	-	77,00	45,0	25,0	20,0	1,20
	200	25H200 TB	5F	ST	1610	101,06	99,69	106,00	-	77,00	58,0	25,0	33,0	1,50
	300	25H300 TB	4F	ST	1615	101,06	99,69	106,00	-	77,00	84,0	38,0	23,0	2,00
26	100	26H100 TB	5F	ST	1610	105,11	103,73	111,00	-	82,00	32,0	25,0	7,0	1,20
	150	26H150 TB	5F	ST	1610	105,11	103,73	111,00	-	82,00	45,0	25,0	20,0	1,40
	200	26H200 TB	5F	ST	1610	105,11	103,73	111,00	-	82,00	58,0	25,0	33,0	1,80
	300	26H300 TB	4F	ST	1615	105,11	103,73	111,00	-	82,00	84,0	38,0	23,0	2,70
27	100	27H100 TB	5F	ST	1610	109,15	107,78	115,00	-	85,00	32,0	25,0	7,0	1,30
	150	27H150 TB	5F	ST	1610	109,15	107,78	115,00	-	85,00	45,0	25,0	20,0	1,60
	200	27H200 TB	5F	ST	1610	109,15	107,78	115,00	-	85,00	58,0	25,0	33,0	1,90
	300	27H300 TB	4F	ST	2012	109,15	107,78	115,00	-	85,00	84,0	32,0	26,0	3,00
28	100	28H100 TB	5F	ST	1610	113,19	111,82	119,00	-	90,00	32,0	25,0	7,0	1,50
	150	28H150 TB	5F	ST	1610	113,19	111,82	119,00	-	90,00	45,0	25,0	20,0	1,80
	200	28H200 TB	5F	ST	1610	113,19	111,82	119,00	-	90,00	58,0	25,0	33,0	1,90
	300	28H300 TB	4F	ST	2012	113,19	111,82	119,00	-	90,00	84,0	32,0	26,0	2,40


* Materiál: ST = ocel, GG = litina / ST = steel, GG = iron cast




Figur 4F




Figur 5F




Figur 3WF



Figur 5WF



Figur 7A



Figur 9A

Typ H - Pro řemeny H - rozteč 1/2" = 12,7mm / For belts H - Pitch 1/2" = 12,7mm

Zubů Teeth	Šif.ř. Width	Označení / Obj.č. Part.No.	Typ Fig.	* Mat. Mat.	Pouzdro Bush	Dp [mm]	De [mm]	Df [mm]	Dm [mm]	Di [mm]	F [mm]	S [mm]	R [mm]	m [kg]
30	100	30H100 TB	5F	ST	1610	121,28	119,90	127,00	-	98,00	32,0	25,0	7,0	1,70
	150	30H150 TB	5F	ST	1610	121,28	119,90	127,00	-	98,00	45,0	25,0	20,0	2,00
	200	30H200 TB	5F	ST	1610	121,28	119,90	127,00	-	98,00	58,0	25,0	33,0	2,30
	300	30H300 TB	4F	ST	2012	121,28	119,90	127,00	-	98,00	84,0	32,0	26,0	2,90
32	100	32H100 TB	5WF	ST	1610	129,36	127,99	135,00	80,00	106,00	32,0	25,0	7,0	2,00
	150	32H150 TB	5WF	ST	1610	129,36	127,99	135,00	80,00	106,00	45,0	25,0	20,0	2,30
	200	32H200 TB	5F	ST	2012	129,36	127,99	135,00	-	106,00	58,0	32,0	26,0	3,00
	300	32H300 TB	4F	ST	2517	129,36	127,99	135,00	-	106,00	84,0	45,0	19,5	3,30
36	100	36H100 TB	5WF	ST	1610	145,53	144,16	152,00	92,00	121,00	32,0	25,0	7,0	2,70
	150	36H150 TB	5WF	ST	1610	145,53	144,16	152,00	92,00	121,00	45,0	25,0	20,0	3,10
	200	36H200 TB	5WF	ST	2012	145,53	144,16	152,00	102,00	121,00	58,0	32,0	26,0	3,00
	300	36H300 TB	4WF	ST	2517	145,53	144,16	152,00	-	121,00	84,0	45,0	19,5	4,50
40	100	40H100 TB	5WF	ST	1610	161,70	160,33	168,00	92,00	138,00	32,0	25,0	7,0	3,60
	150	40H150 TB	5WF	ST	1610	161,70	160,33	168,00	92,00	138,00	45,0	25,0	20,0	4,00
	200	40H200 TB	5WF	ST	2012	161,70	160,33	168,00	106,00	140,00	58,0	32,0	26,0	3,60
	300	40H300 TB	4WF	ST	2517	161,70	160,33	168,00	-	138,00	84,0	45,0	19,5	6,00
44	100	44H100 TB	3WF	ST	2012	177,87	176,50	184,00	106,00	152,00	32,0	32,0	-	3,80
	150	44H150 TB	5WF	ST	2012	177,87	176,50	184,00	106,00	152,00	45,0	32,0	13,0	3,60
	200	44H200 TB	5WF	ST	2012	177,87	176,50	184,00	106,00	150,00	58,0	32,0	26,0	4,50
	300	44H300 TB	4WF	ST	2517	177,87	176,50	184,00	119,00	150,00	84,0	45,0	20,5	6,60
48	100	48H100 TB	3WF	ST	2012	194,04	192,67	200,00	106,00	169,00	32,0	32,0	-	3,20
	150	48H150 TB	5WF	ST	2012	194,04	192,67	200,00	106,00	169,00	45,0	32,0	13,0	4,80
	200	48H200 TB	5WF	ST	2517	194,04	192,67	200,00	119,00	168,00	58,0	45,0	13,0	4,60
	300	48H300 TB	4WF	ST	2517	194,04	192,67	200,00	119,00	168,00	84,0	45,0	20,5	7,60
60	100	60H100 TB	9A	GG	2012	242,55	241,18	-	92,00	223,00	34,0	32,0	1,0	4,80
	150	60H150 TB	9A	GG	2012	242,55	241,18	-	92,00	223,00	46,0	32,0	7,5	5,40
	200	60H200 TB	9A	GG	2517	242,55	241,18	-	119,00	223,00	60,0	45,0	7,5	7,00
	300	60H300 TB	9A	GG	2517	242,55	241,18	-	119,00	223,00	86,0	45,0	20,5	8,40
72	100	72H100 TB	9A	GG	2012	291,06	289,69	-	92,00	270,00	34,0	32,0	1,0	5,70
	150	72H150 TB	9A	GG	2012	291,06	289,69	-	92,00	270,00	46,0	32,0	7,5	6,50
	200	72H200 TB	9A	GG	2517	291,06	289,69	-	119,00	270,00	60,0	45,0	7,5	8,00
	300	72H300 TB	9A	GG	2517	291,06	289,69	-	119,00	270,00	86,0	45,0	20,5	10,40
84	100	84H100 TB	9A	GG	2012	339,57	338,20	-	92,00	318,00	34,0	32,0	1,0	6,80
	150	84H150 TB	9A	GG	2012	339,57	338,20	-	92,00	318,00	46,0	32,0	7,5	8,40
	200	84H200 TB	9A	GG	2517	339,57	338,20	-	119,00	318,00	60,0	45,0	7,5	9,00
	300	84H300 TB	9A	GG	2517	339,57	338,20	-	119,00	318,00	86,0	45,0	20,5	12,50
96	100	96H100 TB	7A	GG	2517	388,08	386,71	-	106,00	366,00	34,0	45,0	5,5	8,20
	150	96H150 TB	9A	GG	2517	388,08	386,71	-	106,00	366,00	46,0	45,0	0,5	11,00
	200	96H200 TB	9A	GG	2517	388,08	386,71	-	119,00	366,00	60,0	45,0	7,5	11,50
	300	96H300 TB	9A	GG	3030	388,08	386,71	-	150,00	366,00	86,0	76,0	5,0	14,20
120	100	120H100 TB	7A	GG	2517	485,10	483,73	-	106,00	462,00	34,0	45,0	5,5	12,10
	150	120H150 TB	9A	GG	2517	485,10	483,73	-	106,00	462,00	46,0	45,0	0,5	14,80
	200	120H200 TB	9A	GG	2517	485,10	483,73	-	119,00	462,00	60,0	45,0	7,5	15,40
	300	120H300 TB	9A	GG	3030	485,10	483,73	-	150,00	462,00	86,0	76,0	5,0	18,80

* Materiál: ST = ocel, GG = litina / ST = steel, GG = iron cast