

Figur 8F

Figur 3F


Figur 5F




### Typ L - Pro řemeny L - rozteč 3/8" = 9,525mm / For belts L - Pitch 3/8" = 9,525mm

Zubů Teeth	Šif.ř. Width	Označení / Obj.č. Part.No.	Typ Fig.	* Mat. Mat.	Pouzdro Bush	Dp [mm]	De [mm]	Df [mm]	Dm [mm]	Di [mm]	F [mm]	S [mm]	R [mm]	m [kg]
18	50	18L050 TB	8F	ST	1108	54,57	53,81	60,00	45,00	-	19,0	22,0	3,0	0,20
	75	18L075 TB	3F	ST	1108	54,57	53,81	60,00	-	-	25,0	25,0	-	0,20
	100	18L100 TB	5F	ST	1108	54,57	53,81	60,00	-	38,00	31,0	22,0	9,0	0,20
19	50	19L050 TB	8F	ST	1108	57,61	56,84	64,00	45,00	-	19,0	22,0	3,0	0,20
	75	19L075 TB	3F	ST	1108	57,61	56,84	64,00	-	-	25,0	25,0	-	0,30
	100	19L100 TB	5F	ST	1108	57,61	56,84	64,00	-	38,00	31,0	22,0	9,0	0,30
20	50	20L050 TB	8F	ST	1108	60,64	59,88	66,00	48,00	-	19,0	22,0	3,0	0,20
	75	20L075 TB	3F	ST	1108	60,64	59,88	66,00	-	-	25,0	25,0	-	0,30
	100	20L100 TB	5F	ST	1108	60,64	59,88	66,00	-	45,00	31,0	22,0	9,0	0,40
21	50	21L050 TB	8F	ST	1108	63,67	62,91	70,00	48,00	-	19,0	22,0	3,0	0,30
	75	21L075 TB	3F	ST	1108	63,67	62,91	70,00	-	-	25,0	25,0	-	0,40
	100	21L100 TB	5F	ST	1108	63,67	62,91	71,00	-	47,00	31,0	22,0	9,0	0,40
22	50	22L050 TB	8F	ST	1108	66,70	65,94	75,00	51,00	-	19,0	22,0	3,0	0,30
	75	22L075 TB	3F	ST	1108	66,70	65,94	75,00	-	-	25,0	25,0	-	0,40
	100	22L100 TB	5F	ST	1108	66,70	65,94	75,00	-	51,00	31,0	22,0	9,0	0,40
23	50	23L050 TB	8F	ST	1108	69,73	68,97	79,00	54,00	-	19,0	22,0	3,0	0,40
	75	23L075 TB	3F	ST	1108	69,73	68,97	79,00	-	-	25,0	25,0	-	0,40
	100	23L100 TB	5F	ST	1108	69,73	68,97	79,00	-	54,00	32,0	22,0	10,0	0,50
24	50	24L050 TB	8F	ST	1108	72,77	72,00	79,00	54,00	-	19,0	22,0	3,0	0,40
	75	24L075 TB	3F	ST	1108	72,77	72,00	79,00	-	-	25,0	25,0	-	0,50
	100	24L100 TB	5F	ST	1108	72,77	72,00	79,00	-	54,00	32,0	22,0	10,0	0,60
25	50	25L050 TB	8F	ST	1108	75,80	75,04	83,00	56,00	-	19,0	22,0	3,0	0,50
	75	25L075 TB	3F	ST	1108	75,80	75,04	83,00	-	-	25,0	25,0	-	0,60
	100	25L100 TB	5F	ST	1108	75,80	75,04	83,00	-	56,00	32,0	22,0	10,0	0,60
26	50	26L050 TB	8F	ST	1108	78,83	78,07	87,00	60,00	-	19,0	22,0	3,0	0,50
	75	26L075 TB	3F	ST	1108	78,83	78,07	87,00	-	-	25,0	25,0	-	0,60
	100	26L100 TB	5F	ST	1108	78,83	78,07	87,00	-	60,00	32,0	22,0	10,0	0,70
27	50	27L050 TB	8F	ST	1108	81,86	81,10	87,00	62,00	-	19,0	22,0	3,0	0,60
	75	27L075 TB	3F	ST	1108	81,86	81,10	87,00	-	-	25,0	25,0	-	0,70
	100	27L100 TB	5F	ST	1108	81,86	81,10	87,00	-	62,00	32,0	22,0	10,0	0,80
28	50	28L050 TB	8F	ST	1108	84,89	84,13	91,00	65,00	-	19,0	22,0	3,0	0,60
	75	28L075 TB	3F	ST	1108	84,89	84,13	91,00	-	-	25,0	25,0	-	0,70
	100	28L100 TB	5F	ST	1108	84,89	84,13	91,00	-	65,00	32,0	22,0	10,0	0,80
30	50	30L050 TB	8F	ST	1108	90,96	90,20	97,00	70,00	-	19,0	22,0	3,0	0,80
	75	30L075 TB	3F	ST	1108	90,96	90,20	97,00	-	-	25,0	25,0	-	0,90
	100	30L100 TB	5F	ST	1210	90,96	90,20	97,00	-	71,00	32,0	25,0	7,0	0,90
32	50	32L050 TB	8F	ST	1108	97,02	96,26	102,00	74,00	-	19,0	22,0	3,0	0,90
	75	32L075 TB	3F	ST	1108	97,02	96,26	102,00	-	-	25,0	25,0	-	1,00
	100	32L100 TB	5F	ST	1210	97,02	96,26	102,00	-	75,00	32,0	25,0	7,0	1,00
36	50	36L050 TB	8F	ST	1108	109,15	108,39	115,00	85,00	-	19,0	22,0	3,0	1,20
	75	36L075 TB	3F	ST	1610	109,15	108,39	115,00	-	-	25,0	25,0	-	1,20
	100	36L100 TB	5F	ST	1610	109,15	108,39	115,00	-	89,00	32,0	25,0	7,0	1,40


\* Materiál: ST = ocel, GG = litina / ST = steel, GG = iron cast




Figur 8F




Figur 3F




Figur 5F




Figur 3W




Figur 3WF




Figur 5WF




Figur 9A



Figur 9W



Figur 8WF



Figur 7A

### Typ L - Pro řemeny L - rozteč 3/8" = 9,525mm / For belts L - Pitch 3/8" = 9,525mm

Zubů Teeth	Šíř.ř. Width	Označení / Obj.č. Part.No.	Typ Fig.	* Mat. Mat.	Pouzdro Bush	Dp [mm]	De [mm]	Df [mm]	Dm [mm]	Di [mm]	F [mm]	S [mm]	R [mm]	m [kg]
40	50	40L050 TB	8F	ST	1610	121,28	120,51	128,00	88,00	-	19,0	25,0	3,0	1,50
	75	40L075 TB	3F	ST	1610	121,28	120,51	128,00	-	-	25,0	25,0	-	1,70
	100	40L100 TB	5F	ST	1610	121,28	120,51	128,00	-	96,00	32,0	25,0	7,0	1,70
44	50	44L050 TB	8WF	ST	1610	133,40	132,64	142,00	88,00	110,00	19,0	25,0	3,0	1,80
	75	44L075 TB	3WF	ST	1610	133,40	132,64	142,00	90,00	110,00	25,0	25,0	-	2,10
	100	44L100 TB	5WF	ST	1610	133,40	132,64	142,00	90,00	110,00	32,0	25,0	-	2,30
48	50	48L050 TB	8WF	ST	1610	145,53	144,77	150,00	88,00	120,00	19,0	25,0	3,0	2,30
	75	48L075 TB	3WF	ST	1610	145,53	144,77	150,00	92,00	120,00	25,0	25,0	-	2,50
	100	48L100 TB	5WF	ST	1610	145,53	144,77	150,00	92,00	120,00	32,0	25,0	7,0	2,70
60	50	60L050 TB	7W	ST	1610	181,91	181,15	-	92,00	166,00	19,0	25,0	3,0	2,00
	75	60L075 TB	3W	ST	1610	181,91	181,15	-	92,00	166,00	25,0	25,0	-	3,00
	100	60L100 TB	9W	ST	1610	181,91	181,15	-	92,00	166,00	32,0	25,0	3,5	2,40
72	50	72L050 TB	7A	GG	1610	218,30	217,53	-	92,00	202,00	19,0	25,0	3,0	3,00
	75	72L075 TB	3A	GG	1610	218,30	217,53	-	92,00	202,00	25,0	25,0	-	4,00
	100	72L100 TB	3A	GG	2012	218,30	217,53	-	92,00	202,00	32,0	32,0	-	4,40
84	50	84L050 TB	7A	GG	1610	254,68	253,92	-	92,00	236,00	19,0	25,0	3,0	4,00
	75	84L075 TB	7A	GG	2012	254,68	253,92	-	92,00	236,00	25,0	32,0	-	5,20
	100	84L100 TB	3A	GG	2012	254,68	253,92	-	92,00	236,00	32,0	32,0	-	6,00
96	50	96L050 TB	7A	GG	2012	291,06	290,30	-	106,00	270,00	19,0	32,0	6,5	5,50
	75	96L075 TB	7A	GG	2012	291,06	290,30	-	106,00	270,00	25,0	32,0	3,5	6,50
	100	96L100 TB	3A	GG	2012	291,06	290,30	-	106,00	270,00	32,0	32,0	-	7,10
120	50	120L050 TB	7A	GG	2012	363,83	363,07	-	106,00	343,00	19,0	32,0	6,5	6,80
	75	120L075 TB	7A	GG	2012	363,83	363,07	-	106,00	343,00	25,0	32,0	3,5	7,60
	100	120L100 TB	3A	GG	2012	363,83	363,07	-	106,00	343,00	32,0	32,0	-	8,50

\* Materiál: ST = ocel, GG = litina / ST = steel, GG = iron cast