



Figur 1F




Figur 2



Figur 2F



Figur 3F




Figur 5F

Typ PC 8M - Pro řemeny PC GT Polychain 8M / For belts PC GT Polychain 8M

Zubů Teeth	Šíř.ř. Width	Označení / Obj.č. Part.No.	Typ Fig.	* Mat. Mat.	Pouzdro Bush	Max.díra Max.Bore	Dp [mm]	De [mm]	Df [mm]	Dm [mm]	Di [mm]	F [mm]	S [mm]	R [mm]	m [kg]
22	12	8M-22-S12	1F	ST	PB12	28,0	56,02	54,42	62,0	43,0	-	20,0	30,0	-	0,42
21	12	8M-22-S21	1F	ST	PB12	28,0	56,02	54,42	62,0	43,0	-	30,0	40,0	-	0,57
25	12	8M-25-S12	2F	GG	1108	28,0	63,66	62,06	70,0	49,0	-	20,0	22,0	-	0,43
21	12	8M-25-S21	3F	GG	1108	28,0	63,66	62,06	70,0	-	-	30,0	22,0	8,0	0,60
36	12	8M-25-S36	1F	ST	PB12	32,0	63,66	62,06	70,0	49,0	-	45,0	55,0	-	1,02
28	12	8M-28-S12	2F	GG	1108	28,0	71,30	69,70	79,0	59,0	-	20,0	22,0	-	0,60
21	12	8M-28-S21	3F	ST	1210	32,0	71,30	69,70	79,0	-	-	30,0	25,0	5,0	0,75
36	12	8M-28-S36	3F	ST	1210	32,0	71,30	69,70	79,0	-	-	45,0	25,0	20,0	1,11
30	12	8M-30-S12	2F	GG	1210	32,0	76,39	74,79	86,0	66,0	-	20,0	25,0	-	0,67
21	12	8M-30-S21	3F	ST	1210	32,0	76,39	74,79	86,0	-	-	30,0	25,0	5,0	0,83
36	12	8M-30-S36	3F	ST	1610	42,0	76,39	74,79	86,0	-	-	45,0	25,0	20,0	1,22
62	12	8M-30-S62	1F	ST	PB20	42,0	76,39	74,79	86,0	65,0	-	72,0	84,0	-	2,45
32	12	8M-32-S12	2F	GG	1610	42,0	81,49	79,89	90,0	66,0	-	20,0	25,0	-	0,77
21	12	8M-32-S21	3F	ST	1610	42,0	81,49	79,89	90,0	-	-	30,0	25,0	5,0	0,97
36	12	8M-32-S36	3F	ST	1610	42,0	81,89	79,89	90,0	-	-	45,0	25,0	20,0	1,45
62	12	8M-32-S62	1F	ST	PB20	50,0	81,49	79,89	90,0	69,0	-	72,0	84,0	-	2,82
34	12	8M-34-S12	2F	GG	1610	42,0	86,58	84,98	95,0	70,0	-	20,0	25,0	-	0,88
21	12	8M-34-S21	3F	GG	1610	42,0	86,58	84,98	95,0	-	-	30,0	25,0	5,0	1,12
36	12	8M-34-S36	3F	GG	1610	42,0	86,58	84,98	95,0	-	-	45,0	25,0	20,0	1,66
62	12	8M-34-S62	1F	ST	PB20	55,0	86,58	84,98	95,0	74,0	-	72,0	84,0	-	3,17
36	12	8M-36-S12	2F	GG	1610	42,0	91,67	90,07	98,0	78,0	-	20,0	25,0	-	1,02
21	12	8M-36-S21	3F	GG	1610	42,0	91,67	90,07	98,0	-	-	30,0	25,0	5,0	1,29
36	12	8M-36-S36	3F	GG	1610	42,0	91,67	90,07	98,0	-	-	45,0	25,0	20,0	1,90
62	12	8M-36-S62	1F	ST	PB20	60,0	91,67	90,07	98,0	77,0	-	72,0	84,0	-	3,52
38	12	8M-38-S12	2F	GG	1610	42,0	96,77	95,17	106,0	80,0	-	20,0	25,0	-	1,15
21	12	8M-38-S21	3F	GG	1610	42,0	96,77	95,17	106,0	-	-	30,0	25,0	5,0	1,34
36	12	8M-38-S36	3F	GG	1610	42,0	96,77	95,17	106,0	-	-	45,0	25,0	20,0	2,21
62	12	8M-38-S62	1F	ST	PB20	60,0	96,77	95,17	106,0	84,0	-	72,0	84,0	-	3,91
40	12	8M-40-S12	2F	GG	1610	42,0	101,86	100,26	111,0	85,0	-	20,0	25,0	-	1,19
21	12	8M-40-S21	3F	GG	1610	42,0	101,86	100,26	111,0	-	-	30,0	25,0	5,0	1,50
36	12	8M-40-S36	3F	ST	2012	50,0	101,86	100,26	111,0	-	-	45,0	32,0	13,0	2,36
62	12	8M-40-S62	3F	GG	2012	50,0	101,86	100,26	111,0	-	-	72,0	32,0	40,0	3,76
45	12	8M-45-S12	2F	GG	2012	50,0	114,59	112,99	119,0	92,0	-	20,0	32,0	-	1,76
21	12	8M-45-S21	2F	GG	2012	50,0	114,59	112,99	119,0	92,0	-	30,0	32,0	-	2,03
36	12	8M-45-S36	3F	GG	2012	50,0	114,59	112,99	119,0	-	-	45,0	32,0	13,0	3,07
62	12	8M-45-S62	3F	GG	2012	50,0	114,59	112,99	119,0	-	-	72,0	32,0	40,0	4,88
48	12	8M-48-S12	2F	GG	2012	50,0	122,23	120,63	135,0	104,0	-	20,0	32,0	-	2,16
21	12	8M-48-S21	2F	GG	2012	50,0	122,23	120,63	135,0	104,0	-	30,0	32,0	-	2,24
36	12	8M-48-S36	3F	GG	2012	50,0	122,23	120,63	135,0	-	-	45,0	32,0	13,0	3,30
62	12	8M-48-S62	3F	GG	2517	60,0	122,23	120,63	135,0	-	-	72,0	45,0	27,0	5,52

* Materiál: ST = ocel, GG = litina / ST = steel, GG = iron cast

PB.. = s předvrtanou dírou d=.. / PB = Min.plain bore



Typ PC 8M - Pro řemeny PC GT Polychain 8M / For belts PC GT Polychain 8M

Zubů Teeth	Šíř.ř. Width	Označení / Obj.č. Part.No.	Typ Fig.	* Mat. Mat.	Pouzdro Bush	Max.díra Max.Bore	Dp [mm]	De [mm]	Df [mm]	Dm [mm]	Di [mm]	F [mm]	S [mm]	R [mm]	m [kg]
50	12	8M-50-S12	2F	GG	2012	50,0	127,32	125,72	135,0	104,0	-	20,0	32,0	-	2,16
	21	8M-50-S21	2F	GG	2012	50,0	127,32	125,72	135,0	104,0	-	30,0	32,0	-	2,42
	36	8M-50-S36	3F	GG	2012	50,0	127,32	125,72	135,0	-	-	45,0	32,0	13,0	3,58
	62	8M-50-S62	3F	GG	2517	60,0	127,32	125,72	135,0	-	-	72,0	45,0	27,0	6,03
56	12	8M-56-S12	2F	GG	2012	50,0	142,60	141,00	151,0	104,0	-	20,0	32,0	-	2,83
	21	8M-56-S21	2F	GG	2012	50,0	142,60	141,00	151,0	111,0	-	30,0	32,0	-	3,20
	36	8M-56-S36	3F	GG	2517	60,0	142,60	141,00	151,0	-	-	45,0	45,0	0,0	4,48
	62	8M-56-S62	6F	GG	2517	60,0	142,60	141,00	151,0	-	111,0	72,0	45,0	13,5	5,43
60	12	8M-60-S12	2F	GG	2012	50,0	152,79	151,19	159,0	111,0	-	20,0	32,0	-	3,24
	21	8M-60-S21	2F	GG	2517	60,0	152,79	151,19	159,0	124,0	-	30,0	45,0	-	4,66
	36	8M-60-S36	3F	GG	2517	60,0	152,79	151,19	159,0	-	-	45,0	45,0	0,0	5,30
	62	8M-60-S62	6F	GG	2517	60,0	152,79	151,19	159,0	-	121,0	72,0	45,0	13,5	6,33
64	12	8M-64-S12	2F	GG	2012	50,0	162,97	161,37	168,0	111,0	-	20,0	32,0	-	3,51
	21	8M-64-S21	2F	GG	2517	60,0	162,97	161,37	168,0	124,0	-	30,0	45,0	-	5,28
	36	8M-64-S36	3F	GG	2517	60,0	162,97	161,37	168,0	-	-	45,0	45,0	0,0	6,19
	62	8M-64-S62	6F	GG	2517	60,0	162,97	161,37	168,0	-	131,0	72,0	45,0	13,5	7,11
75	12	8M-75-S12	2	GG	2012	50,0	190,99	189,39	-	111,0	-	20,0	32,0	-	4,57
	21	8M-75-S21	2	GG	2517	60,0	190,99	189,39	-	124,0	-	30,0	45,0	-	6,77
	36	8M-75-S36	2	GG	3020	75,0	190,99	189,39	-	150,0	-	45,0	51,0	-	8,72
	62	8M-75-S62	6	GG	3020	75,0	190,99	189,39	-	-	159,0	72,0	51,0	10,5	9,99
80	12	8M-80-S12	2	GG	2012	50,0	203,72	202,12	-	111,0	-	20,0	32,0	-	5,13
	21	8M-80-S21	2	GG	2517	60,0	203,72	202,12	-	124,0	-	30,0	45,0	-	7,61
	36	8M-80-S36	2	GG	3020	75,0	203,72	202,12	-	150,0	-	45,0	51,0	-	9,96
	62	8M-80-S62	6	GG	3020	45,0	203,72	202,12	-	-	172,0	72,0	51,0	10,5	
90	12	8M-90-S12	2	GG	2012	50,0	229,18	227,58	-	111,0	-	20,0	-	-	6,37
	21	8M-90-S21	9	GG	2517	60,0	229,18	227,58	-	124,0	198,0	30,0	45,0	7,5	8,57
	36	8M-90-S36	9	GG	3020	75,0	229,18	227,58	-	150,0	197,0	45,0	51,0	3,0	10,41
	62	8M-90-S62	6	GG	3020	75,0	229,18	227,58	-	-	197,0	72,0	51,0	10,5	14,94
112	21	8M-112-S21	9	GG	2517	60,0	285,21	283,61	-	124,0	253,0	30,0	45,0	7,5	12,50
	36	8M-112-S36	9	GG	3020	75,0	285,21	283,61	-	150,0	253,0	45,0	51,0	3,0	14,01
	62	8M-112-S62	7	GG	3020	75,0	285,21	283,61	-	150,0	253,0	72,0	51,0	10,5	14,94
140	21	8M-140-S21	10	GG	3020	75,0	356,51	354,91	-	150,0	324,0	30,0	51,0	10,5	12,79
	36	8M-140-S36	10	GG	3020	75,0	356,51	354,91	-	150,0	324,0	45,0	51,0	3,0	11,98
	62	8M-140-S62	7	GG	3525	100,0	356,51	354,91	-	198,0	324,0	72,0	65,0	3,5	24,77
168	36	8M-168-S36	10	GG	3525	100,0	427,81	426,21	-	198,0	396,0	45,0	65,0	10,0	23,91
	62	8M-168-S62	8	GG	3525	100,0	427,81	426,21	-	198,0	396,0	72,0	65,0	3,5	28,39
192	36	8M-192-S36	10	GG	3525	100,0	488,92	487,32	-	198,0	457,0	45,0	65,0	10,0	26,53
	62	8M-192-S62	8	GG	3525	100,0	488,92	487,32	-	198,0	457,0	72,0	65,0	3,5	32,18

* Materiál: ST = ocel, GG = litina / ST = steel, GG = iron cast