


Figur 6F


Typ L - Pro řemeny L - rozteč 3/8" = 9,525mm / For belts L - Pitch 3/8" = 9,525mm

Zubů Teeth	Šír.ř. Width	Označení / Obj.č. Part.No.	Typ Fig.	* Mat.	Dp [mm]	De [mm]	Df [mm]	Dm [mm]	F [mm]	L [mm]	d [mm]	Max.díra Max.bore	m [kg]
10	050	10 L 050	6F	ST	30,32	29,56	37,00	20,00	19,00	28,0	8,0	13,0	0,11
	075	10 L 075	6F	ST	30,32	29,56	37,00	20,00	25,40	38,0	8,0	13,0	0,15
	100	10 L 100	6F	ST	30,32	29,56	37,00	20,00	31,80	45,0	8,0	13,0	0,15
11	050	11 L 050	6F	ST	33,35	32,59	37,00	22,00	19,00	30,0	8,0	15,0	0,14
	075	11 L 075	6F	ST	33,35	32,59	37,00	22,00	25,40	38,0	8,0	15,0	0,17
	100	11 L 100	6F	ST	33,35	32,59	38,00	22,00	31,80	45,0	8,0	15,0	0,20
12	050	12 L 050	6F	ST	36,38	35,62	43,00	24,00	19,00	30,0	8,0	17,0	0,17
	075	12 L 075	6F	ST	36,38	35,62	43,00	24,00	25,40	38,0	8,0	17,0	0,22
	100	12 L 100	6F	ST	36,38	35,62	43,00	24,00	31,80	45,0	8,0	17,0	0,26
13	050	13 L 050	6F	ST	39,41	38,65	44,00	28,00	19,00	30,0	8,0	19,0	0,18
	075	13 L 075	6F	ST	39,41	38,65	44,00	28,00	25,40	38,0	8,0	19,0	0,25
	100	13 L 100	6F	ST	39,41	38,65	44,00	28,00	31,80	45,0	8,0	19,0	0,30
14	050	14 L 050	6F	ST	42,45	41,68	48,00	28,00	19,00	30,0	8,0	20,0	0,22
	075	14 L 075	6F	ST	42,45	41,68	48,00	28,00	25,40	38,0	11,0	20,0	0,28
	100	14 L 100	6F	ST	42,45	41,68	48,00	28,00	31,80	45,0	11,0	20,0	0,34
15	050	15 L 050	6F	ST	45,48	44,72	51,00	34,00	19,00	30,0	8,0	23,0	0,28
	075	15 L 075	6F	ST	45,48	44,72	51,00	34,00	25,40	38,0	11,0	23,0	0,38
	100	15 L 100	6F	ST	45,48	44,72	51,00	34,00	31,80	45,0	11,0	23,0	0,45
16	050	16 L 050	6F	ST	48,51	47,75	54,00	36,00	19,00	32,0	8,0	23,0	0,35
	075	16 L 075	6F	ST	48,51	47,75	54,00	36,00	25,40	38,0	11,0	23,0	0,43
	100	16 L 100	6F	ST	48,51	47,75	54,00	36,00	31,80	45,0	11,0	23,0	0,52
17	050	17 L 050	6F	ST	51,54	50,78	57,00	36,00	19,00	32,0	10,0	24,0	0,36
	075	17 L 075	6F	ST	51,54	50,78	57,00	36,00	25,40	38,0	11,0	24,0	0,44
	100	17 L 100	6F	ST	51,54	50,78	57,00	36,00	31,80	45,0	11,0	24,0	0,53
18	050	18 L 050	6F	ST	54,57	53,81	60,00	40,00	19,00	32,0	10,0	24,0	0,42
	075	18 L 075	6F	ST	54,57	53,81	60,00	40,00	25,40	38,0	11,0	24,0	0,52
	100	18 L 100	6F	ST	54,57	53,81	60,00	40,00	31,80	45,0	11,0	24,0	0,62
19	050	19 L 050	6F	ST	57,61	56,84	64,00	40,00	19,00	32,0	10,0	24,0	0,45
	075	19 L 075	6F	ST	57,61	56,84	64,00	40,00	25,40	38,0	11,0	24,0	0,56
	100	19 L 100	6F	ST	57,61	56,84	64,00	40,00	31,80	45,0	11,0	24,0	0,66
20	050	20 L 050	6F	ST	60,64	59,88	66,00	40,00	19,00	32,0	10,0	28,0	0,48
	075	20 L 075	6F	ST	60,64	59,88	66,00	40,00	25,40	38,0	11,0	28,0	0,59
	100	20 L 100	6F	ST	60,64	59,88	66,00	40,00	31,80	45,0	11,0	28,0	0,72
21	050	21 L 050	6F	ST	63,67	62,91	70,00	45,00	19,00	32,0	10,0	28,0	0,57
	075	21 L 075	6F	ST	63,67	62,91	70,00	45,00	25,40	38,0	11,0	28,0	0,64
	100	21 L 100	6F	ST	63,67	62,91	70,00	45,00	31,80	45,0	11,0	28,0	0,77
22	050	22 L 050	6F	ST	66,70	65,94	75,00	45,00	19,00	32,0	10,0	30,0	0,59
	075	22 L 075	6F	ST	66,70	65,94	75,00	45,00	25,40	38,0	11,0	30,0	0,69
	100	22 L 100	6F	ST	66,70	65,94	75,00	45,00	31,80	45,0	11,0	30,0	0,88
23	050	23 L 050	6F	ST	69,73	68,97	79,00	55,00	19,00	32,0	10,0	30,0	0,61
	075	23 L 075	6F	ST	69,73	68,97	79,00	55,00	25,40	38,0	11,0	30,0	0,76
	100	23 L 100	6F	ST	69,73	68,97	79,00	55,00	31,80	45,0	11,0	30,0	1,12
24	050	24 L 050	6F	ST	72,77	72,00	79,00	55,00	19,00	32,0	10,0	30,0	0,80
	075	24 L 075	6F	ST	72,77	72,00	79,00	55,00	25,40	38,0	11,0	30,0	0,87
	100	24 L 100	6F	ST	72,77	72,00	79,00	55,00	31,80	45,0	11,0	30,0	1,13
25	050	25 L 050	6F	ST	75,80	75,04	83,00	58,00	19,00	32,0	10,0	30,0	0,85
	075	25 L 075	6F	ST	75,80	75,04	83,00	58,00	25,40	38,0	11,0	30,0	0,95
	100	25 L 100	6F	ST	75,80	75,04	83,00	58,00	31,80	45,0	11,0	30,0	1,18


* Materiál: ST = ocel, GG = litina / ST = steel, GG = iron cast



Figur 6A



Figur 6F




Figur 6WF




Typ L - Pro řemeny L - rozteč 3/8" = 9,525mm / For belts L - Pitch 3/8" = 9,525mm

Zubů Teeth	Šír.ř. Width	Označení / Obj.č. Part.No.	Typ Fig.	* Mat.	Dp [mm]	De [mm]	Df [mm]	Dm [mm]	F [mm]	L [mm]	d [mm]	m [kg]
26	050	26 L 050	6F	ST	78,83	78,07	87,00	58,00	19,00	32,0	11,0	0,90
	075	26 L 075	6F	ST	78,83	78,07	87,00	58,00	25,40	38,0	11,0	1,06
	100	26 L 100	6F	ST	78,83	78,07	87,00	58,00	31,80	45,0	11,0	1,24
27	050	27 L 050	6F	ST	81,86	81,10	87,00	58,00	19,00	32,0	11,0	0,91
	075	27 L 075	6F	ST	81,86	81,10	97,00	58,00	25,40	38,0	11,0	1,18
	100	27 L 100	6F	ST	81,86	81,10	87,00	58,00	31,80	45,0	11,0	1,35
28	050	28 L 050	6F	ST	84,89	84,13	91,00	58,00	19,00	32,0	11,0	0,95
	075	28 L 075	6F	ST	84,89	84,13	91,00	58,00	25,40	38,0	11,0	1,19
	100	28 L 100	6F	ST	84,89	84,13	91,00	58,00	31,80	45,0	11,0	1,42
29	050	29 L 050	6F	ST	87,93	87,16	93,00	58,00	19,00	32,0	11,0	1,00
	075	29 L 075	6F	ST	87,93	87,16	93,00	58,00	25,40	38,0	11,0	1,25
	100	29 L 100	6F	ST	87,93	87,16	93,00	58,00	31,80	45,0	11,0	1,50
30	050	30 L 050	6F	ST	90,96	90,20	97,00	70,00	19,00	32,0	11,0	1,07
	075	30 L 075	6F	ST	90,96	90,20	97,00	70,00	25,40	38,0	11,0	1,33
	100	30 L 100	6F	ST	90,96	90,20	97,00	70,00	31,80	45,0	11,0	1,61
32	050	32 L 050	6F	ST	97,02	96,26	102,00	70,00	19,00	32,0	11,0	1,23
	075	32 L 075	6F	ST	97,02	96,26	102,00	70,00	25,40	38,0	11,0	1,54
	100	32 L 100	6F	ST	97,02	96,26	102,00	70,00	31,80	45,0	11,0	1,84
33	050	33 L 050	6F	ST	100,05	99,29	106,00	70,00	19,00	32,0	11,0	1,30
	075	33 L 075	6F	ST	100,05	99,29	106,00	70,00	25,40	38,0	11,0	1,63
	100	33 L 100	6F	ST	100,05	99,29	106,00	70,00	31,80	45,0	11,0	1,95
34	050	34 L 050	6F	ST	103,08	102,32	112,00	70,00	19,00	32,0	11,0	1,37
	075	34 L 075	6F	ST	103,08	102,32	112,00	70,00	25,40	38,0	11,0	1,37
	100	34 L 100	6F	ST	103,08	102,32	112,00	70,00	31,80	45,0	11,0	2,10
35	050	35 L 050	6F	ST	106,12	105,35	112,00	70,00	19,00	32,0	11,0	1,44
	075	35 L 075	6F	ST	106,12	105,35	112,00	70,00	25,40	38,0	11,0	1,80
	100	35 L 100	6F	ST	106,12	105,35	112,00	70,00	31,80	45,0	11,0	2,23
36	050	36 L 050	6F	ST	109,15	108,39	115,00	70,00	19,00	32,0	11,0	1,50
	075	36 L 075	6F	ST	109,15	108,39	115,00	70,00	25,40	38,0	11,0	1,89
	100	36 L 100	6F	ST	109,15	108,39	112,00	70,00	31,80	45,0	11,0	2,32
40	050	40 L 050	6WF	ST	121,28	120,51	128,00	70,00	19,00	32,0	11,0	1,77
	075	40 L 075	6WF	ST	121,28	120,51	128,00	70,00	25,40	38,0	11,0	2,35
	100	40 L 100	6WF	ST	121,28	120,51	128,00	70,00	31,80	45,0	11,0	2,80
41	050	41 L 050	6WF	ST	124,31	123,55	131,00	70,00	19,00	32,0	11,0	1,84
	075	41 L 075	6WF	ST	124,31	123,55	131,00	70,00	25,40	38,0	11,0	2,40
	100	41 L 100	6WF	ST	124,31	123,55	131,00	70,00	31,80	45,0	11,0	2,95
42	050	42 L 050	6WF	ST	127,34	126,58	135,00	70,00	19,00	32,0	11,0	1,97
	075	42 L 075	6WF	ST	127,34	126,58	135,00	70,00	25,40	38,0	11,0	2,53
	100	42 L 100	6WF	ST	127,34	126,58	135,00	70,00	31,80	45,0	11,0	3,10
44	050	44 L 050	6WF	ST	133,40	132,64	142,00	70,00	19,00	32,0	11,0	2,20
	075	44 L 075	6WF	ST	133,40	132,64	142,00	70,00	25,40	38,0	11,0	2,75
	100	44 L 100	6WF	ST	133,40	132,62	142,00	70,00	31,80	45,0	11,0	3,36
45	050	45 L 050	6WF	ST	136,44	135,67	142,00	70,00	19,00	32,0	11,0	2,27
	075	45 L 075	6WF	ST	136,44	135,67	142,00	70,00	25,40	38,0	11,0	2,86
	100	45 L 100	6WF	ST	136,44	135,67	142,00	70,00	31,80	45,0	11,0	3,45


* Materiál: ST = ocel, GG = litina / ST = steel, GG = iron cast



Figur 6A



Figur 6F



Figur 6WF



Typ L - Pro řemeny L - rozteč 3/8" = 9,525mm / For belts L - Pitch 3/8" = 9,525mm

Zubů Teeth	Šír.ř. Width	Označení / Obj.č. Part.No.	Typ Fig.	* Mat.	Dp [mm]	De [mm]	Df [mm]	Dm [mm]	F [mm]	L [mm]	d [mm]	m [kg]
47	050	47 L 050	6WF	ST	142,50	141,74	150,00	70,00	19,00	32,0	11,0	2,45
	075	47 L 075	6WF	ST	142,50	141,74	150,00	70,00	25,40	38,0	11,0	3,02
	100	47 L 100	6WF	ST	142,50	141,74	150,00	70,00	31,80	45,0	11,0	3,65
48	050	48 L 050	6WF	ST	145,53	144,77	150,00	70,00	19,00	32,0	11,0	2,67
	075	48 L 075	6WF	ST	145,53	144,77	150,00	70,00	25,40	38,0	11,0	3,19
	100	48 L 100	6WF	ST	145,53	144,77	150,00	70,00	31,80	45,0	11,0	3,86
49	050	49 L 050	6W	ST	148,56	147,80	-	70,00	19,00	32,0	14,0	1,80
	075	49 L 075	6WF	ST	148,56	147,80	-	70,00	19,00	38,0	14,0	2,10
	100	49 L 100	6WF	ST	148,56	147,80	-	70,00	31,80	45,0	14,0	2,40
50	050	50 L 050	6W	ST	151,60	150,83	-	70,00	19,00	32,0	14,0	1,90
	075	50 L 075	6W	ST	151,60	150,83	-	70,00	19,00	38,0	14,0	2,20
	100	50 L 100	6W	ST	151,60	150,83	-	70,00	31,80	45,0	14,0	2,50
52	050	52 L 050	6W	ST	157,66	156,90	-	70,00	19,00	32,0	14,0	2,10
	075	52 L 075	6W	ST	157,66	156,90	-	70,00	19,00	38,0	14,0	2,38
	100	52 L 100	6W	ST	157,66	156,90	-	70,00	31,80	45,0	14,0	2,70
56	050	56 L 050	6W	ST	169,79	169,02	-	70,00	19,00	32,0	14,0	2,18
	075	56 L 075	6W	ST	169,79	169,02	-	70,00	19,00	38,0	14,0	2,49
	100	56 L 100	6W	ST	169,79	169,02	-	70,00	31,80	45,0	14,0	2,91
57	050	57 L 050	6W	ST	172,82	172,06	-	70,00	19,00	32,0	14,0	2,47
	075	57 L 075	6W	ST	172,82	172,06	-	70,00	19,00	38,0	14,0	2,73
	100	57 L 100	6W	ST	172,82	172,06	-	70,00	31,80	45,0	14,0	3,10
60	050	60 L 050	6W	ST	181,91	181,15	-	75,00	19,00	42,0	14,0	3,10
	075	60 L 075	6W	ST	181,91	181,15	-	75,00	19,00	45,0	14,0	3,44
	100	60 L 100	6W	ST	181,91	181,15	-	75,00	31,80	50,0	14,0	3,55
65	050	65 L 050	6A	ST	197,07	196,31	-	75,00	19,00	42,0	14,0	3,20
	075	65 L 075	6A	ST	197,07	196,31	-	75,00	25,40	45,0	14,0	3,50
	100	65 L 100	6A	ST	197,07	196,31	-	75,00	31,80	50,0	14,0	4,00
66	050	66 L 050	6A	ST	200,11	199,34	-	75,00	19,00	42,0	14,0	3,23
	075	66 L 075	6A	ST	200,11	199,34	-	75,00	25,40	45,0	14,0	3,60
	100	66 L 100	6A	ST	200,11	199,34	-	75,00	31,80	50,0	14,0	4,15
72	050	72 L 050	6A	ST	218,30	217,53	-	75,00	19,00	42,0	14,0	4,86
	075	72 L 075	6A	ST	218,30	217,53	-	75,00	25,40	45,0	14,0	4,58
	100	72 L 100	6A	ST	218,30	217,53	-	75,00	31,80	50,0	14,0	5,00
84	050	84 L 050	6A	ST	254,68	253,92	-	75,00	19,00	42,0	14,0	5,00
	075	84 L 075	6A	ST	254,68	253,92	-	75,00	25,40	45,0	14,0	5,60
	100	84 L 100	6A	ST	254,68	253,92	-	75,00	31,80	50,0	14,0	6,30
90	050	90 L 050	6A	ST	272,87	272,11	-	75,00	19,00	42,0	14,0	5,50
	075	90 L 075	6A	ST	272,87	272,11	-	75,00	25,40	45,0	14,0	6,50
	100	90 L 100	6A	ST	272,87	272,11	-	75,00	31,80	50,0	14,0	7,50
96	050	96 L 050	6A	ST	291,06	290,30	-	75,00	19,00	42,0	14,0	6,00
	075	96 L 075	6A	ST	291,06	290,30	-	75,00	25,40	45,0	14,0	7,00
	100	96 L 100	6A	ST	291,06	290,30	-	75,00	31,80	50,0	14,0	8,20
120	050	120 L 050	6A	ST	363,83	363,07	-	75,00	19,00	42,0	14,0	8,50
	075	120 L 075	6A	ST	363,83	363,07	-	75,00	25,40	45,0	14,0	10,00
	100	120 L 100	6A	ST	363,83	363,07	-	75,00	31,80	50,0	14,0	11,50

* Materiál: ST = ocel, GG = litina / ST = steel, GG = iron cast